

Heavy Duty Belt Conveyors



MONK Conveyors Limited

Unit 9, The Christy Estate, Ivy Road, Aldershot, Hampshire GU12 4TX Tel: +44(0)1252 369800 Fax: +44(0)1252 369801 Email: sales@monk-conveyors.co.uk www.monk-conveyors.com



Overview

This robust belt conveyor is a proven product which is highly configurable and easy to install. Ideal for the handling of irregular shaped products and for changes in elevation. The modular design allows for variety of arrangements to be made from standard components.



- Low initial cost.
- Reduced spare parts cost,
- Easy to install.
- Quiet operation.
- Smooth transportation.
- Fully reversible option (with intermediate drive).
- Greater versatility with the intermediate drive.
- Roller bed or Slider beds are available to reduce belt friction.
- Low maintenance cost.
- Low power requirement conserves energy.
- Available in: Powder coated as standard, aluminium or stainless steel.


MONK Conveyors Limited

Unit 9, The Christy Estate, Ivy Road, Aldershot, Hampshire GU12 4TX Tel: +44(0)1252 369800 Fax: +44(0)1252 369801 Email: sales@monk-conveyors.co.uk www.monk-conveyors.com




Heavy Duty Belt Conveyors

Belt Conveyor - A Type



- End drive units fitted with SEW geared motor up to 0.55 kW.
- Variable speed option.
- Black PVC endless smooth top conveyor belt.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Available as Incline, Decline and Horizontal.


Belt Conveyor - A1 Type




- Drum drive motor 0.18 kW up to 0.37 kW.
- Variable speed option.
- Black PVC endless smooth top conveyor belt.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Full width steel undersheet fitted as standard (local to drums only).



Belt Conveyor - B Type



- Intermediate drive units fitted with SEW geared motor units up to 1.5 kW.
- Variable speed option.
- Reversible.
- Black PVC endless smooth top conveyor belt.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Available as Incline, Decline and Horizontal.




• Intermediate drive units fitted with SEW geared motor units up to 1.5 kW.


- Reversible.
- Variable speed option.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Standard angles of 10°, 15°, 20° and 25°. Other angles available upon request.
- Available as Incline, Decline and Horizontal.



Belt Conveyor - D Type



- Intermediate drive units fitted with SEW geared motors up to 1.5 kW.
- Variable speed option.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Standard angles of 10°, 15°, 20° and 25°. Other angles available upon request.
- Reversible.
- Available as Incline and Decline.




• Intermediate drive units fitted with SEW geared motor units up to 1.5 kW.

- Reversible.
- Variable speed option.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Standard angles of 10°, 15°, 20° and 25°.
- Other angles available upon request.
- Available as Incline and Decline..




Heavy Duty Belt Conveyors

Belt Conveyor - F Type



- End drive units fitted with SEW geared motor up to 0.55 kW.
- Variable speed option.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Standard angles of 10°, 15°, 20° and 25°. Other angles available upon request.
- Available as Incline and Decline.


Belt Conveyor - G Type



- End drive units fitted with SEW geared motor up to 0.55 kW.
- Variable speed option.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Standard angles of 10°, 15°, 20° and 25°.
- Other angles available upon request.
- Available as Incline and Decline..




Belt Conveyor - K Type



- End drive units fitted with SEW geared motor units up to 0.55 kW.
- Variable speed option.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Standard angles of 10°, 15°, 20° and 25°. Other angles available upon request.
- Available as Incline and Decline.

Belt Conveyor - L Type



- End drive units fitted with SEW geared motor units up to 0.55 kW.
- Variable speed option.
- Black grip top conveyor belt.
- Can be supplied with 60 / 150mm side guides.
- Optional pop out rollers at either or both ends.
- Full width steel undersheet fitted as standard.
- Standard angles of 10°, 15°, 20° and 25°. Other angles available upon request.
- Available as decline only.



Items in our range



FlexChain Conveyors



Flat Belt Conveyors



Mat Top Bend



Grip Conveyors



Heavy Duty Trough Conveyors



Diverter Units



Plastic Container Handling System



Indexing Buffer Stores



Special Roller Conveyor



Rotating Storage Tables



Luggage Handling



Multi-Lane Flat Belts



Ready Made Meal Conveyor Line



Elevators - Plastic or

Stainless Steel

Sheet Panel Transfer Unit



Fruit Packing Line

MONK Conveyors Limited

Unit 9, The Christy Estate, Ivy Road, Aldershot, Hampshire GU12 4TX Tel: +44(0)1252 369800 Fax: +44(0)1252 369801 Email: sales@monk-conveyors.co.uk www.monk-conveyors.com